

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 12/16/2005

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/605,383	09/26/2003	Joseph J Davis JR.	03992	2382
23688 7	590 12/16/2005		EXAM	INER
Bruce E. Harang			CARPIO, IVAN HERNAN	
PO BOX 872735 VANCOUVER, WA 98687-2735			ART UNIT	PAPER NUMBER
V/H(000\21	g ///12 3000/ 2/00		2841	

Please find below and/or attached an Office communication concerning this application or proceeding.

		$\mu\nu$	
	Application No.	Applicant(s)	_
	10/605,383	DAVIS ET AL.	
Office Action Summary	Examiner	Art Unit	
	Ivan H. Carpio	2841	
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet w	ith the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING E  - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period.  - Failure to reply within the set or extended period for reply will, by statuf Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUN 136(a). In no event, however, may a I will apply and will expire SIX (6) MO te, cause the application to become A	CATION. reply be timely filed  NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).	rs,
Status			
1) Responsive to communication(s) filed on	·		
2a) This action is <b>FINAL</b> . 2b) ☑ Thi	s action is non-final.		
3) Since this application is in condition for allows	•	•	
closed in accordance with the practice under	Ex parte Quayle, 1935 C.	J. 11, 453 O.G. 213.	
Disposition of Claims			
4)  Claim(s) 1-18 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5)  Claim(s) is/are allowed. 6)  Claim(s) 1-18 is/are rejected. 7)  Claim(s) is/are objected to. 8)  Claim(s) are subject to restriction and/	awn from consideration.		
Application Papers			
9) ☐ The specification is objected to by the Examin 10) ☑ The drawing(s) filed on 9-26-03 is/are: a) ☑ a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the E	ccepted or b) objected or by objected or drawing(s) be held in abeyaction is required if the drawing	nce. See 37 CFR 1.85(a). g(s) is objected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreig  a) All b) Some * c) None of:  1. Certified copies of the priority document  2. Certified copies of the priority document  3. Copies of the certified copies of the priority document  application from the International Bureat  * See the attached detailed Office action for a list	nts have been received.  Its have been received in a pority documents have been au (PCT Rule 17.2(a)).	Application No  n received in this National Stage	
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date	Paper No	Summary (PTO-413) (s)/Mail Date Informal Patent Application (PTO-152)	

Art Unit: 2841

## **DETAILED ACTION**

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

Claims 1-5 and 10-14 rejected under 35 U.S.C. 102(b) as being anticipated by Inaba (US Patent 6227500).

With respect to claim 1, Inaba teaches a snap-in cluster attachment (Fig. 1) for attaching the lower edge of a cluster housing to an IP retainer comprising: a) at least one attachment member (Fig. 1, element 23) fixedly attached to the lower edge of the cluster housing (Fig.1, element 20), said attachment member comprising a body having two ends (Fig. 2, element 23 the bottom and the top) and two sides (Fig.2, element 23 the sides that lead up to the bottom of the housing) wherein one end is attached to the lower edge of the cluster housing and the other end terminates in a mounting pin (Fig.1, element 23) oriented perpendicular to the sides of the attachment member; and b) at least one corresponding opening (fig.3, opening element 16) in the IP retainer having mounting pin retaining members (Fig.3, elements 16 vertical side walls) disposed therein for receiving and holding the mounting pin of the at least one attachment member; thereby providing for attaching the cluster housing lower edge to the IP retainer by snapping the at least one mounting pin on the lower edge of the cluster housing into place in the corresponding at least one IP retainer opening having mounting pin retaining members located therein.

With respect to claim 2 and with all the limitations of claim 1, Inaba teaches that said snap-in cluster attachments allow the cluster housing to be rolled upward (Figs. 3,4,5 and 6) for fixedly attaching the cluster housing by its top edge to the IP retainer.

With respect to claim 3 and with all the limitations of claim 1, Inaba teaches that said at least one attachment member and at least one corresponding opening comprises 2 or more attachment members and 2 or more corresponding openings (Fig.2, elements 23 and corresponding openings 16).

With respect to claim 4 and with all the limitations of claim 1, Inaba teaches said attachment members are molded as an integral part (Fig.1) of the cluster housing.

With respect to claim 5 and with all the limitations of claim 1, Inaba teaches said openings in the IP retainer having mounting pin retaining members disposed therein are molded as an integral part (Fig. 1) of said IP retainer.

With respect to claim 10 Inaba teaches a snap-in cluster attachment for attaching the lower edge of an instrument cluster housing to an IP retainer comprising: a) at least one attachment member (Fig. 1, element 23) fixedly attached to the lower edge of the instrument cluster housing (Fig.1, element 20), said attachment member comprising a body having two ends (Fig. 2, element 23 the bottom and the top) and two sides (Fig.2, element 23 the sides that lead up to the bottom of the housing) wherein one end is attached to the lower edge of the instrument cluster housing and the other end terminates in a mounting pin (Fig.1, element 23) oriented perpendicular to the sides of the attachment member; and b) at least one corresponding opening (fig.3, opening element 16) in the IP retainer having mounting pin retaining members (Fig.3, elements

Application/Control Number: 10/605,383 Page 4

Art Unit: 2841

16 vertical side walls) disposed therein for receiving and holding the mounting pin of the at least one attachment member; thereby providing for attaching the instrument cluster housing lower edge to the IP retainer by snapping the at least one mounting pin on the lower edge of the instrument cluster housing into place in the corresponding at least one IP retainer opening having mounting pin retaining members located therein.

With respect to claim 11 and with all the limitations of claim 10, Inaba teaches that said snap-in cluster attachments allow the instrument cluster housing to be rolled upward (Figs. 3,4,5 and 6) for fixedly attaching the instrument cluster housing by its top edge to the IP retainer.

With respect to claim 12 and with all the limitations of claim 10, Inaba teaches that said at least one attachment member and at least one corresponding opening comprises 2 or more attachment members and 2 or more corresponding openings (Fig.2, elements 23 and corresponding openings 16).

With respect to claim 13 and with all the limitations of claim 10, Inaba teaches said attachment members are molded as an integral part (Fig.1) of the instrument cluster housing.

With respect to claim 14 and with all the limitations of claim 10, Inaba teaches said openings in the IP retainer having mounting pin retaining members disposed therein are molded as an integral part (Fig. 1) of said IP retainer.

Claim Rejections - 35 USC § 103

Application/Control Number: 10/605,383

Art Unit: 2841

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 6,7 15 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Inaba.

With respect to claims 6,7 and 15,16 with all the limitations of claims 1 and 10 respectively, Inaba teaches all of the limitations of the claims including the mounting pin members and the pin retaining members but does not teach the specific dimensions of the mounting pin and pin retaining members. Hinge like mounting pins and retaining members are well known in the art, the diameter size of the mounting pin and the wall thickness of the retaining members range in values from very small to very large depending on their particular use, in fact look at a pair of glasses, a door, and a jewelry box and you will see a variety of sizes. It would have been obvious to one of ordinary skill in the art at the time of the invention to make the diameter of the mounting pin and the wall thickness of the retaining member any size, including making the diameter of the mounting pin between 2.0mm and 10.0mm and making the wall thickness of the mounting pin retaining member between 1.0mm and 5.0mm, in order to fulfill particular design needs depending on the specifics of the structure. Furthermore it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. In re Aller, 105 USPQ 233.

With respect to claims 8,9 and 17,18 with all limitations of claims 1 and 10 respectively, Inaba teaches all of the limitations of the claims including a cluster housing, attachment member, IP retainer and mounting pin retaining member but does not teach the particular material used to make these elements. There are many known materials used to make cluster housings and attachment members as well as IP retainers and mounting pin retaining members, materials such as various metals and plastics have long been known to be used in the art and particular material choices are made depending on the needed properties for the specific conditions of use. It would have been obvious to one of ordinary skill in the art at the time of the invention to make the cluster housing, attachment member, IP retainer and mounting pin retaining member, taught by Inaba, of any appropriate material including making the cluster housing and attachment member of styrene and the IP retainer and mounting pin retainer element in order to meet specific needed properties. Furthermore it has been held that to be within the general skill of a worker in the art tot select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. In re Leshin, 125 USPQ 416.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. US Patents 3126120 and 5311643 disclose a snap in cluster attachment with similar features. US Patent 6517145 discloses a instrument panel with acrylonitrile butadiene styrene parts.

Art Unit: 2841

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ivan H. Carpio whose telephone number is 571-272-8396. The examiner can normally be reached on M-R 6:00am - 4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kammie Cuneo can be reached on 571-272-1957. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

IC

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800